




Description

Mechanical Splicer Protector is designed to manage fiber splices and protect the mechanically spliced fibers from outside influences. Protector housing functions as a splicing applicator without requiring additional tools for splicing. It is suited for prompt extensions, changes, repairs and restorations of fiber connections in the outdoor environment.

Feature

- No additional tools required
- Convenient to assemble and dis-assemble
- Accommodating 2mm cable and 2x3mm(flat) cable
- Rugged protection
- Water-resistance
- Dust-resistance
- Fortified tensile strength
- Insertion Loss: $\leq 0.15\text{dB}$
- Return Loss: $\geq 55\text{dB}$
- Tensile Strength: Max. 4kg

A. Mechanical Splicer Protector & Installation Accessories



NO	Component	QTY (Per Set of 12 MSPs)
1	Mechanical Splice	12
2	Mechanical Splicer Protector (Body and Applicators)	12
3	Cable Holder for 2mm Cable	24
4	Strength Member Holder	12
5	Heat Shrink Tube	12
6	Heat Shield Tape	12
7	Sealing Tape	24
8	Measurement Jig	2
9	Cleaning Cloth	12
10	Manual	1
11	Product Info Decal	1

B. Packaging



NO	Component	Packaging
1	MSP and All Accessories	Plastic Bag
2	Mechanical Splice and Mechanical Splicer Protector / Cleaning Cloth	Blister Pack
3	Sealing Tape	Plastic Bag
4	Heat Shrink Tube / Heat Shield Tape / Measurement Jig	Plastic Bag
5	Strength Member Holder	Plastic Bag
6	Cable Holder for 2mm Cable	Plastic Bag